



EC declaration of conformity					
For the following equipment:					
Product Name: Switching Power Supplies					
Model Designation: HLG-320H-yz (y=12,15,20,24,30,36,42,48,54; z=A or B or Blank or C or D)					
is herewith confirmed to were applied:	comply with the requirer	ments set out in th	ne Council I	Directive, the foll	owing standards
RoHS Directive (2011/65/EU)					
Energy-Related Products Directive (2009/125/EC) Implementing measure COMMISSION REGULATION(EC) No 1194/2012					
Low Voltage Directive (2006/95/EC):					
EN61347-1:2008+A1+A2/EN61347-2-13:2006 TUV certificate No : R50210986 (for z=A,B,Blank,D tyle EN61347-1:2008+A1+A2/EN61347-2-13:2006 TUV certificate No : R50211579 (for z=C type)					
Electromagnetic Compatibility Directive (2004/108/EC):					
EMI (Electro-Magnetic Interference)					
Conducted emission / Ra	diated emission EN55015:2006+A1:200 EN55022:2010 EN55011:2009+A1:20 ^o EN61000-6-3:2007+A1		Class B Class B		
Harmonic current	EN61000-3-2:2006+A1:2009+A2:2009			Class C(≧50% load)	
Voltage flicker	EN61000-3-3: 2008				
EMS (Electro-Magnetic Susceptibility)					
EN61547:2009 EN5502	4:2010 EN61204-3:20	00 EN61000-6-2	2:2005		
ESD air	EN61000-4-2:2009		Level 3	8KV	
ESD contact	EN61000-4-2:2009		Level 2	4KV	
RF field susceptibility	EN61000-4-3:2006+A1:2008+A2:2010		Level 2	10V/m	
EFT bursts	EN61000-4-4:2004+A1	1:2010	Level 2	2KV/5KHz	
Surge susceptibility	EN61000-4-5:2006		Level 4	2KV/Line-Line	4KV/Line-Earth
Conducted susceptibility	EN61000-4-6:2009		Level 2	10V	
Magnetic field immunity	EN61000-4-8:2010		Level 2	30A/m	
Voltage dip, interruption	EN61000-4-11:2004 >	95% dip 0.5 periods	30% dip 25 j	periods >95% inte	rruptions 250 periods
Note: Component power supply will be operated with a final equipment. Since EMC performance will be affected by the complete installation, the final equipment manufacturers must re-qualify EMC Directive on the complete installation again. Tests above are only to be performed with intended loads, i.e. either with LEDs or resistive load. For guidance on how to perform these EMC tests, please refer to TDF (Technical Documentation File).					
To fulfill requirements of the latest ErP regulation for lighting fixtures, this LED power supply can only be used behind a switch without permanently connected to the mains.					
This Declaration is effective from serial number RB4xxxxxxx					
Person responsible for marking this declaration:					
Mean Well Enterprises C	o., Ltd.				

No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248, Taiwan (R.O.C.) (Manufacturer Address)

(Signature)

(Date)

May 30th, 2014

Johnny Huang/Senior Verification Engineer:

(Name / Position)

Taiwan

(Place)

Ted Cheng/Product Manager:

(Name / Position)