



NO3493

Page 1/2

Order No. 259328

Licence for use of the here shown ENEC conformity mark:



Based on:

Agreement on the use of a commonly agreed Mark on Conformity for equipment complying with European Standards as of 12 November 1991 (in short ENEC Agreement), as revised latest by ENEC group April 16. 1997.

Nemko hereby grants the following manufacturer as licensee the right to affix this ENEC mark on the product(s) specified below.

Product LED controlgear

Mean Well Enterprises Co., Ltd. Applicant

No.28, Wuguan 3rd Rd., Wugu Dist.

New Taipei City 248

Taiwan

Mean Well Enterprises Co., Ltd. Manufacturer

No.28, Wuguan 3rd Rd., Wugu Dist.

New Taipei City 248

Taiwan

See page 2 **Factory** 

Ratings 200-240Vac, 0.2A, 50/60Hz (For models PCD-16-.B and PLD-16-.B)

> 200-240Vac, 0.3A, 50/60Hz (For model PCD-25-.B) 100-240Vac, 0.6A, 50/60Hz (For model PLD-25-.)

Trade mark

MEAN WELL

Model / Type Ref. PCD-.-.B; PLD-16-.B; PLD-25-.

Principal characteristics Cl. II. Output rating and ta: Refer to Test Report

IP30, tc: 70°C, pf: 0.95

The first dot "." in the model name PCD-.-.B can be 16 or 25, the second dot "."

can be 350, 700, 1050 or 1400 to denote output current.

The dot "." in the model name PLD-16-.B and PLD-25-. can be 350, 700, 1050

or 1400 to denote output current.

See next page(s)

A sample of the product was tested and found to be in conformity with

LITE EN 61347-2-13:2006

EN 61347-1:2008;A1;A2

EN 62384:2006;A1

The conditions for this licence are that the ENEC-marked products conform with the applicable Standard(s) as stated in 259328

the Test Report with Order No:

and that Articles 8 and 9 of the ENEC Agreement are fulfilled by the manufacturer. The mark signifies the compliance of the completed products with these conditions. Further information is given in the attached Annex, which forms an obligatory part of this licence document. This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.

Additional model(s)

See next page(s)

Date of issue 30-05-2014

**Eunhye Song** 

Certification Department

Nemko AS





NO3493

Page 2/2

Order No. 259328

Licence for use of the here shown ENEC conformity mark :



#### Factories:

Mean Well Enterprises Co., Ltd. No.28, Wuquan 3rd Rd., Wugu Dist., New Taipei City 248 Taiwan Mean Well (GUANGZHOU) Electronics Co., Ltd. 2F, A Building, Yuean Industrial Park, Huangcun, Dongpu Town, TianHe District, Guangzhou, Guangdong, P.R. China

Date of issue 30-05-2014

Eunhye Song

Certification Department

Nemko AS



NO2822 Page 1/3



Order No.

189090

Licence for use of the here shown ENEC conformity mark:



#### Based on:

Agreement on the use of a commonly agreed Mark on Conformity for equipment complying with European Standards as of 12 November 1991 (in short ENEC Agreement), as revised latest by ENEC group April 16. 1997.

Nemko hereby grants the following manufacturer as licensee the right to affix this ENEC mark on the product(s) specified below.

Product LED controlgear

Applicant Mean Well Enterprises Co., Ltd.

No.28, Wuquan 3rd Rd., Wugu Dist.

New Taipei City 248

Taiwan

Manufacturer Mean Well Enterprises Co., Ltd.

No.28, Wuquan 3rd Rd., Wugu Dist.

New Taipei City 248

Taiwan

Factory Mean Well (Guangzhou) Electroncis Co., Ltd.

2nd Floor No. A Building, Yuean Ind. Park Dongpu Town

TianHe Dist., Guangzhou P.R.

China

See next page(s)

Ratings 0.2A 200-240Vac 50/60Hz (PCD-16-.B);

0.3A 200-240Vac 50/60Hz (PCD-25-.B)

Trade mark

MEAN WELL

Model / Type Ref.PCD-.-.BPrincipal characteristics⊠ See page 2

A sample of the product was tested and found to be in conformity with

Yndestacl

LITE EN 61347-1:2008

EN 61347-2-13:2006 EN 62384:2006;A1

The conditions for this licence are that the ENEC-marked products conform with the applicable Standard(s) as stated in the Test Report with Order No: 189090-A and 189090-B

See next page(s)

and that Articles 8 and 9 of the ENEC Agreement are fulfilled by the manufacturer. The mark signifies the compliance of the completed products with these conditions. Further information is given in the attached Annex, which forms an obligatory part of this licence document. This licence has been issued under the presumption and conditional on the fact that the licensee holds all

necessary legal rights with regard to the product presented for testing and certification.

Date of issue 25-10-2011

Hanne

Additional model(s)

Signature
Hanne Yndestad
Certification Department

Nemko AS Office address Internet Telephone Fax

P.O. Box 73, Blindern Gaustadalléen 30 www.nemko.com +47 22 96 03 30 + 47 22 96 05 50

N-0314 Oslo, Norway Oslo Enterprise number: NO 974404532





Page 2/3



Order No.

189090

Licence for use of the here shown ENEC conformity mark:



Product LED controlgear

Pos. No

Model / Type Ref. PLD-16-.B

Trade mark (if different from page 1)

0.2A 200-240Vac 50/60Hz Rating

Principal characteristics Cl. II. IP20, ta 50°C, 70°C, Lambda: 0.95

DC-output:

PLD-16-350B: 350mA 24-48V, max. 60V; PLD-16-700B: 700mA 16-24V, max. 35V; PLD-16-1050B: 1050mA 12-16V, max. 25V; PLD-16-1400B: 1400mA 8-12, max. 16V

The dot "." in the model name can 350, 700, 1050 or 1400, denote output

current.

Product LED controlgear

Pos. No 2

Model / Type Ref. PLD-25-.

Trade mark (if different from page 1)

Rating 0.6A 100-240Vac 50/60Hz

Principal characteristics Cl. II. IP20, ta 50°C, 70°C, Lambda: 0.95

DC-output:

PLD-25-350: 350mA 40-58V, max. 60V; PLD-25-700: 700mA 24-36V, max. 50V; PLD-25-1050: 1050mA 16-24V, max. 35V; PLD-25-1400: 1400mA 12-18V, max. 25V

The dot "." in the model name can be 350, 700, 1050 or 1400, denote output

current.

Date of issue 25-10-2011

Signature Hanne Yndestad Certification Department

Nemko AS Office address Internet Telephone Fax P.O. Box 73, Blindern Gaustadalléen 30 www.nemko.com +47 22 96 03 30

+ 47 22 96 05 50

Enterprise number: NO 974404532 N-0314 Oslo, Norway Oslo





Page 3/3



Order No.

189090

Licence for use of the here shown ENEC conformity mark:



Principal characteristics

Cl. II. IP20, ta: 50°C (PCD-16-.B) or 40°C (PCD-25-.B), tc: 70°C, Lambda: 0.95

DC output:

PCD-16-350B: 350mA 24-48V, max. 60V; PCD-16-700B: 700mA 16-24V, max. 35V; PCD-16-1050B: 1050mA 12-16V, max. 25V; PCD-16-1400B: 1400mA 8-12, max. 16V; PCD-25-350B: 350mA 40-58V, max. 60V; PCD-25-700B: 700mA 24-36V, max. 50V; PCD-25-1050B: 1050mA 16-24V, max. 35V; PCD-25-1400B: 1400mA 12-18V, max. 25V

The first dot "." in the model name can be 16 or 25. The second dot "." can be 350, 700, 1050 or 1400, denote output current.

Date of issue 25-10-2011

ndestacl

Signature Hanne Yndestad

Hanne

**Certification Department** 

Nemko ASOffice addressInternetTelephoneFaxP.O. Box 73, BlindernGaustadalléen 30www.nemko.com+47 22 96 03 30+ 47 22 96 05 50N-0314 Oslo, NorwayOsloEnterprise number:NO 974404532